




Approved For Release 2004/03/15 : CIA-RDP80M00165A001900040010-0
UNITED STATES

ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION
WASHINGTON, D.C. 20545



Rec'd 4/4/77

Admiral Stanfield Turner
Director
Central Intelligence Agency
Washington, D. C. 20505

Dear Admiral Turner:

Enclosed is a copy of Mini-Review 77-1, a short, descriptive document illustrating various potential uses of Electronic Identification and Temperature Monitoring for your agency. The work described in this document was supported by the United States Department of Agriculture and the United States Energy Research and Development Administration under interagency agreement. I hope this document proves to be useful to you and your agency.

Sincerely,

Dorothy R. Turner
Dorothy R. Turner
Management Analyst
Office of Special Projects

Enclosure:
Mini-Review 77-1

Approved For Release 2004/03/15 : CIA-RDP80M00165A001900040010-0

February 1977

Potential Uses for Electronic Identification

by

Pamela M. Petersen

Los Alamos
scientific laboratory
of the University of California
LOS ALAMOS, NEW MEXICO 87545

An Affirmative Action/Equal Opportunity Employer

This work supported by the US Department of Agriculture
and the US Energy Research and Development Administra-
tion under interagency agreement.

UNITED STATES
ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION
CONTRACT NO. 4010-0

INTRODUCTION

Los Alamos Scientific Laboratory (LASL) have been working with the United States Department of Agriculture (USDA) and the Energy Research and Development Administration (ERDA) to develop an electronic identification and temperature monitoring system for animals. The system was developed primarily to monitor animal movements through commerce and to trace back infected animals, if necessary. This review outlines several potential identification applications: to monitor a wounded soldier, to identify a stolen vehicle, and to inventory nuclear material.

With electronic identification, it is possible to develop unique and unalterable identification numbers that are recorded in local and regional data banks, with appropriate data links. These data banks must guarantee that all records are protected against unauthorized access. This system can help to improve industrial and governmental security.

HOW IT WORKS

The identification of items involves a simple interrogation operation that uses an electronic transponder and a hand-held or stationary interrogator antenna.

The microwaves are beamed from the interrogator antenna to the transponder where energy is extracted to power the transponder electronics. This changes the reflection pattern in an encoded manner to carry both identification and temperature information. The interrogator antenna picks up the encoded signal, which can be displayed to the operator and can also be recorded on magnetic tape or computer printout. The entire interrogation operation takes place remotely in less than one second.

There are three components to this LASL system which was developed initially to use in animal studies (Figs. 1 and 2). They are (1) the transponder (which contains no batteries), located upon the item being identified, (2) the hand-held antenna with the reading display on the back of the box, and (3) the battery power supply and the interrogator/receiver electronics. The power source can be made into many forms, from a back pack for portability and convenience to a stationary stand for use on a highway or in a security area. Many different antenna configurations can also be used.

Approved For Release 2004/03/15 : CIA-RDP80M00165A001900040010-0

Approved For Release 2004/03/15 : CIA-RDP80M00165A001900040010-0

EXECUTIVE SECRETARIAT

Routing Slip

TO:		ACTION	INFO	DATE	INITIAL
1	DCI				
2	DDCI				
3	D/DCI/IC				
4	DDS&T				
5	DDI				
6	DDA		✓		
7	DDO				
8	D/DCI/NI				
9	GC				
10	LC				
11	IG				
12	Compt				
13	D/Pers				
14	D/S				
15	DTR				
16	Asst/DCI				
17	AO/DCI				
18	C/IPS				
19	DCI/SS				
20	D/EE0				
21					
22					
SUSPENSE		Date			

Remarks:

Executive Secretary
5 APR 77
 Date

STAT

3637 (7-76)

ERDA